

**Site Description**

<b>Study Name</b>	CBWQ-Arrow
<b>Site</b>	NEBUR01
<b>Sampling Date</b>	Oct 01 2012
<b>Know Your Watershed Basin</b>	Central Columbia
<b>Province / Territory</b>	British Columbia
<b>Terrestrial Ecological Classification</b>	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
<b>Coordinates (decimal degrees)</b>	49.96736 N, 117.88257 W
<b>Altitude</b>	1537
<b>Local Basin Name</b>	Burton Cr.
	Columbia River
<b>Stream Order</b>	5




Figure 1. Location Map

Across Reach  
Aerial (No image found)



Down Stream



Field Sheet

Miscellaneous (No image found)



Substrate



Up Stream

**Cabin Assessment Results**

<b>Reference Model Summary</b>					
<b>Model</b>	Columbia-Okanagan Preliminary March 2010				
<b>Analysis Date</b>	August 04, 2017				
<b>Taxonomic Level</b>	Family				
<b>Predictive Model Variables</b>	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
<b>Reference Groups</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>
<b>Number of Reference Sites</b>	9	43	17	12	33
<b>Group Error Rate</b>	22.2%	24.5%	22.2%	25.0%	32.4%
<b>Overall Model Error Rate</b>	26.4%				
<b>Probability of Group Membership</b>	0.2%	6.9%	6.7%	69.2%	17.0%
<b>CABIN Assessment of NEBUR01 on Oct 01, 2012</b>	Mildly Divergent				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

**Sample Information**

<b>Sampling Device</b>	Kick Net
<b>Mesh Size</b>	400
<b>Sampling Time</b>	3
<b>Taxonomist</b>	Eco Analysts, EcoAnalysts
<b>Date Taxonomy Completed</b>	February 11, 2013
	Marchant Box
<b>Sub-Sample Proportion</b>	8/100

**Community Structure**

Phylum	Class	Order	Family	Raw Count	Total Count
Arthropoda	Insecta	Diptera	Chironomidae	5	62.5
			Ephemeroptera	Baetidae	43
			Ephemerellidae	16	200.0
			Heptageniidae	47	587.5
		Plecoptera	Chloroperlidae	16	200.0
			Leuctridae	6	75.0
			Nemouridae	9	112.5
			Perlodidae	2	25.0
			Taeniopterygidae	196	2,450.0
		Trichoptera	Rhyacophilidae	5	62.5
			<b>Total</b>	<b>345</b>	<b>4,312.5</b>

**Metrics**

Name	NEBUR01	Predicted Group Reference Mean $\pm$ SD
<b>Bray-Curtis Distance</b>	0.81	0.4 $\pm$ 0.1
<b>Biotic Indices</b>		
<b>Hilsenhoff Family index (North-West)</b>	2.4	3.2 $\pm$ 0.3
<b>Intolerant taxa</b>	--	
<b>Long-lived taxa</b>	--	2.1 $\pm$ 1.0
<b>Tolerant individuals (%)</b>	--	0.8 $\pm$ 0.3
<b>Functional Measures</b>		
<b>% Filterers</b>	--	2.2 $\pm$ 1.8
<b>% Gatherers</b>	70.1	38.4 $\pm$ 12.4
<b>% Predatores</b>	8.1	19.0 $\pm$ 8.5
<b>% Scrapers</b>	87.5	63.2 $\pm$ 19.7
<b>% Shredder</b>	61.2	27.6 $\pm$ 15.2
<b>No. Clinger Taxa</b>	9.0	23.2 $\pm$ 6.3
<b>Number Of Individuals</b>		
<b>% Chironomidae</b>	1.4	7.4 $\pm$ 6.4
<b>% Coleoptera</b>	0.0	1.5 $\pm$ 3.9
<b>% Diptera + Non-insects</b>	1.4	10.8 $\pm$ 7.6
<b>% Ephemeroptera</b>	30.7	51.7 $\pm$ 18.8
<b>% Ephemeroptera that are Baetidae</b>	40.6	40.6 $\pm$ 30.0
<b>% EPT Individuals</b>	98.6	87.7 $\pm$ 7.4
<b>% Odonata</b>	--	0.0 $\pm$ 0.0
<b>% of 2 dominant taxa</b>	70.4	57.9 $\pm$ 14.2
<b>% of 5 dominant taxa</b>	92.2	81.6 $\pm$ 7.9
<b>% of dominant taxa</b>	56.8	39.8 $\pm$ 14.9
<b>% Plecoptera</b>	66.4	31.4 $\pm$ 15.4
<b>% Tribe Tanyatarisini</b>	--	
<b>% Trichoptera that are Hydropsychida</b>	0.0	27.0 $\pm$ 26.2
<b>% Tricoptera</b>	1.4	4.5 $\pm$ 2.8
<b>No. EPT individuals/Chironomids+EPT Individuals</b>	1.0	0.9 $\pm$ 0.1
<b>Total Abundance</b>	4312.5	587.4 $\pm$ 299.1
<b>Richness</b>		
<b>Chironomidae taxa (genus level only)</b>	1.0	1.0 $\pm$ 0.0
<b>Coleoptera taxa</b>	0.0	0.4 $\pm$ 0.5
<b>Diptera taxa</b>	1.0	3.3 $\pm$ 1.0
<b>Ephemeroptera taxa</b>	3.0	3.8 $\pm$ 0.8
<b>EPT Individuals (Sum)</b>	4250.0	526.0 $\pm$ 285.8
<b>EPT taxa (no)</b>	9.0	13.3 $\pm$ 2.7
<b>Odonata taxa</b>	--	0.0 $\pm$ 0.0
<b>Pielou's Evenness</b>	0.6	0.7 $\pm$ 0.1
<b>Plecoptera taxa</b>	5.0	6.3 $\pm$ 1.1
<b>Shannon-Wiener Diversity</b>	1.5	1.9 $\pm$ 0.4
<b>Simpson's Diversity</b>	0.6	0.8 $\pm$ 0.1
<b>Simpson's Evenness</b>	0.3	0.3 $\pm$ 0.1
<b>Total No. of Taxa</b>	10.0	19.3 $\pm$ 3.7
<b>Trichoptera taxa</b>	1.0	3.2 $\pm$ 1.4

**Frequency and Probability of Taxa Occurrence**

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NEBUR01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.82
Chironomidae	100%	100%	100%	100%	95%	0.99
Chloroperlidae	78%	88%	94%	100%	100%	0.99
Ephemerellidae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.90
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.78
Perlodidae	78%	78%	89%	92%	81%	0.89
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.90

## RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.60
RIVPACS : Observed taxa P>0.50	10.00
RIVPACS : O:E (p > 0.5)	0.74
RIVPACS : Expected taxa P>0.70	11.24
RIVPACS : Observed taxa P>0.70	9.00
RIVPACS : O:E (p > 0.7)	0.80

## Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean $\pm$ SD
<b>Bedrock Geology</b>		
Alluvium (%)	0.00000	0.00000 $\pm$ 0.00000
Intrusive (%)	88.94617	11.07346 $\pm$ 28.63466
Metamorphic (%)	10.03602	17.96649 $\pm$ 35.53463
Sedimentary (%)	1.01781	70.96005 $\pm$ 44.90394
Ultramafic (%)	0.00000	0.00000 $\pm$ 0.00000
Volcanic (%)	0.00000	0.00000 $\pm$ 0.00000
<b>Channel</b>		
Depth-Avg (cm)	20.2	23.6 $\pm$ 11.1
Depth-BankfullMinusWetted (cm)	20.20	51.38 $\pm$ 29.42
Depth-Max (cm)	40.0	34.6 $\pm$ 12.3
Macrophyte (PercentRange)	0	0 $\pm$ 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 $\pm$ 0.78
Reach-DomStreamsideVeg (Category (1-4))	4	4 $\pm$ 1
Reach-Pools (Binary)	0	1 $\pm$ 0
Reach-Rapids (Binary)	0	0 $\pm$ 0
Reach-Riffles (Binary)	1	1 $\pm$ 0
Reach-StraightRun (Binary)	1	1 $\pm$ 1
Slope (m/m)	0.0157000	0.0546683 $\pm$ 0.0376269
Veg-Coniferous (Binary)	1	1 $\pm$ 0
Veg-Deciduous (Binary)	1	1 $\pm$ 0
Veg-GrassesFerns (Binary)	0	1 $\pm$ 0
Veg-Shrubs (Binary)	1	1 $\pm$ 0
Velocity-Avg (m/s)	0.41	0.48 $\pm$ 0.22
Velocity-Max (m/s)	1.17	0.76 $\pm$ 0.36
Width-Bankfull (m)	19.0	13.4 $\pm$ 9.9
Width-Wetted (m)	12.0	8.5 $\pm$ 5.8
XSEC-VelMethod (Category (1-3))	1	1 $\pm$ 0
<b>Climate</b>		
Precip01_JAN (mm)	136.50000	104.85000 $\pm$ 26.28129
Precip02_FEB (mm)	113.50000	83.66667 $\pm$ 27.10278
Precip03_MAR (mm)	104.00000	77.23611 $\pm$ 27.15950
Precip04_APR (mm)	136.50000	104.85000 $\pm$ 26.28129
Precip05_MAY (mm)	85.50000	71.65833 $\pm$ 17.81753
Precip06_JUN (mm)	96.00000	78.56667 $\pm$ 15.58521
Precip07_JUL (mm)	75.50000	64.39167 $\pm$ 10.41611
Precip08_AUG (mm)	72.50000	60.53056 $\pm$ 10.43373
Precip09_SEP (mm)	69.00000	56.91944 $\pm$ 10.91783
Precip10_OCT (mm)	82.50000	65.08056 $\pm$ 14.41229
Precip11_NOV (mm)	128.00000	105.93889 $\pm$ 25.04104
Precip12_DEC (mm)	150.50000	116.84444 $\pm$ 29.80954
PrecipTotal_ANNUAL (mm)	1195.50000	952.64722 $\pm$ 226.04690
Temp01_JANMax (Degrees Celsius)	-5.00000	-4.39167 $\pm$ 2.51268
Temp01_JANmin (Degrees Celsius)	-11.00000	-11.40833 $\pm$ 3.53951
Temp02_FEBmax (Degrees Celsius)	-2.50000	-1.70000 $\pm$ 2.12945
Temp02_FEBmin (Degrees Celsius)	-9.00000	-9.17500 $\pm$ 3.33361
Temp03_MARmax (Degrees Celsius)	1.00000	2.50556 $\pm$ 2.87525
Temp03_MARmin (Degrees Celsius)	-7.00000	-6.14167 $\pm$ 2.98556
Temp04_APRmax (Degrees Celsius)	5.00000	7.12222 $\pm$ 3.48771
Temp04_APRmin (Degrees Celsius)	-3.00000	-2.71667 $\pm$ 2.22785
Temp05_MAYmax (Degrees Celsius)	10.00000	12.03889 $\pm$ 3.55434
Temp05_MAYmin (Degrees Celsius)	0.50000	1.04722 $\pm$ 2.08663

## Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean $\pm$ SD
Temp06_JUNMax (Degrees Celsius)	13.00000	15.72500 $\pm$ 3.40030
Temp06_JUNMin (Degrees Celsius)	3.00000	4.00278 $\pm$ 2.41085
Temp07_JULmax (Degrees Celsius)	17.00000	19.56111 $\pm$ 3.47275
Temp07_JULmin (Degrees Celsius)	5.50000	6.35833 $\pm$ 2.28332
Temp08_AUGmax (Degrees Celsius)	17.00000	19.52222 $\pm$ 3.51100
Temp08_AUGmin (Degrees Celsius)	5.50000	6.19167 $\pm$ 2.34422
Temp09_SEPmax (Degrees Celsius)	12.00000	14.04444 $\pm$ 3.03456
Temp09_SEPmin (Degrees Celsius)	1.50000	2.04722 $\pm$ 2.37208
Temp10_OCTmax (Degrees Celsius)	4.50000	6.88889 $\pm$ 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.50000	-1.46111 $\pm$ 1.64316
Temp11_NOVmax (Degrees Celsius)	-1.50000	-0.79722 $\pm$ 2.43512
Temp11_NOVmin (Degrees Celsius)	-7.00000	-6.68056 $\pm$ 2.97163
Temp12_DECmax (Degrees Celsius)	-5.00000	-4.66389 $\pm$ 2.69757
Temp12_DECmin (Degrees Celsius)	-10.50000	-10.65833 $\pm$ 3.71739
TempANNUALmax (Degrees Celsius)	5.00000	6.96389 $\pm$ 3.06157
TempANNUALmean (Degrees Celsius)	1.00000	2.25278 $\pm$ 2.66574
TempANNUALmin (Degrees Celsius)	-2.50000	-2.18056 $\pm$ 2.41152
<b>Hydrology</b>		
Drainage-Area (km <sup>2</sup> )	156.03797	124.42081 $\pm$ 200.99192
Perimeter (Km)	96.29101	64.71360 $\pm$ 56.15436
StreamDensity (m/km <sup>2</sup> )	3088.41775	2246.06682 $\pm$ 604.89962
StreamLength (m)	481910.43	302226.63 $\pm$ 500983.26
<b>Landcover</b>		
Natl-AnnCrops (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Barren (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafOpen (%)	2.15359	1.19263 $\pm$ 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Coniferous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ConiferousDense (%)	0.52673	0.64845 $\pm$ 0.37668
Natl-ConiferousOpen (%)	55.67391	54.62780 $\pm$ 18.30692
Natl-ConiferousSparse (%)	1.69933	0.94121 $\pm$ 1.53621
Natl-Deciduous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Developed (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ExposedLand (%)	18.72158	13.20054 $\pm$ 11.11850
Natl-Grassland (%)	0.00000	1.87556 $\pm$ 1.68508
Natl-Herb (%)	5.14233	5.75738 $\pm$ 2.89836
Natl-MixedForest (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodOpen (%)	0.22226	0.04060 $\pm$ 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Rock/Rubble (%)	0.64975	1.56403 $\pm$ 2.75979
Natl-Shrubland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ShrubLow (%)	0.29041	4.98298 $\pm$ 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-SnowIce (%)	0.02825	0.08491 $\pm$ 0.15475
Natl-Water (%)	0.31107	0.22916 $\pm$ 0.36834
Natl-Wetland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandHerb (%)	0.02206	0.12918 $\pm$ 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 $\pm$ 0.00000
Reg-Ice (%)	0.00000	0.02487 $\pm$ 0.06034
<b>Substrate Data</b>		
%Bedrock (%)	0	0 $\pm$ 0
%Boulder (%)	3	9 $\pm$ 9
%Cobble (%)	76	51 $\pm$ 15
%Gravel (%)	0	3 $\pm$ 3
%Pebble (%)	21	37 $\pm$ 20
%Sand (%)	0	0 $\pm$ 0
%Silt+Clay (%)	0	0 $\pm$ 0
D50 (cm)	9.80	15.12 $\pm$ 14.26

## Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean $\pm$ SD
<b>Dg (cm)</b>	10.0	8.2 $\pm$ 2.8
<b>Dominant-1st (Category(0-9))</b>	6	7 $\pm$ 1
<b>Dominant-2nd (Category(0-9))</b>	7	7 $\pm$ 1
<b>Embeddedness (Category(1-5))</b>	4	5 $\pm$ 1
<b>PeriphytonCoverage (Category(1-5))</b>	1	1 $\pm$ 0
<b>SurroundingMaterial (Category(0-9))</b>	1	4 $\pm$ 1
<b>Topography</b>		
<b>ElevationMax (m)</b>	2735.00000	2634.66667 $\pm$ 309.54023
<b>ElevationMin (m)</b>	457.00000	913.41667 $\pm$ 271.25180
<b>ElevationStdev (m)</b>	449.76775	349.02363 $\pm$ 92.12445
<b>Reg-SlopeLT30% (%)</b>	17.10000	18.88386 $\pm$ 9.29866
<b>Slope30-50% (%)</b>	28.38185	29.00215 $\pm$ 6.33837
<b>Slope50-60% (%)</b>	14.69809	13.91808 $\pm$ 1.91315
<b>SlopeAvg (%)</b>	52.80717	52.79851 $\pm$ 8.68755
<b>SlopeGT60% (%)</b>	36.42654	35.47207 $\pm$ 13.39684
<b>SlopeLT30% (%)</b>	20.49352	21.60770 $\pm$ 8.54172
<b>SlopeMax (%)</b>	261.08899	298.94390 $\pm$ 146.30679
<b>SlopeMin (%)</b>	0.00000	0.19777 $\pm$ 0.29213
<b>SlopeStdev (%)</b>	26.65419	26.57529 $\pm$ 4.62351
<b>Water Chemistry</b>		
<b>General-Alkalinity (mg/L)</b>	44.4000000	71.7000000 $\pm$ 53.9231440
<b>General-DO (mg/L)</b>	10.0000000	11.4175000 $\pm$ 0.7986708
<b>General-pH (pH)</b>	7.7	7.9 $\pm$ 0.4
<b>General-SpCond (<math>\mu</math>S/cm)</b>	111.2000000	168.9833333 $\pm$ 123.7858182
<b>General-TempAir (Degrees Celsius)</b>	9.0	26.0
<b>General-TempWater (Degrees Celsius)</b>	8.6000000	7.3183333 $\pm$ 2.7240839
<b>General-Turbidity (NTU)</b>	0.5700000	0.2020000
<b>Nitrogen-NO2 (mg/L)</b>	0.0025000	0.0027500 $\pm$ 0.0062831
<b>Nitrogen-NO2+NO3 (mg/L)</b>	0.0200000	0.0690000
<b>Nitrogen-NO3 (mg/L)</b>	0.0200000	0.0546667 $\pm$ 0.0498148
<b>Phosphorus-OrthoP (mg/L)</b>	0.0025000	0.0002727 $\pm$ 0.0004671