

Site Description

Study Name	CBWQ-Lardeau
Site	NHLAR02
Sampling Date	Oct 23 2010
Know Your Watershed Basin	Lower Kootenay
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	50.29389 N, 116.96556 W
Altitude	1896
Local Basin Name	Lardeau R
	Lardeau
Stream Order	7



Figure 1. Location Map

- Across Reach (No image found)
- Aerial (No image found)
- Down Stream (No image found)
- Field Sheet (No image found)
- Miscellaneous (No image found)
- Substrate (No image found)
- Up Stream (No image found)

Cabin Assessment Results

		Reference Model Summary				
Model	Columbia-Okanagan Preliminary March 2010					
Analysis Date	August 29, 2017					
Taxonomic Level	Family					
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%					
Reference Groups	1	2	3	4	5	
Number of Reference Sites	9	43	17	12	33	
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%	
Overall Model Error Rate	26.4%					
Probability of Group Membership	2.4%	0.8%	16.2%	50.0%	30.6%	
CABIN Assessment of NHLAR02 on Oct 23, 2010	Divergent					




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Gary Lester, Ecoanalysts Inc.
Date Taxonomy Completed	March 09, 2011
	Marchant Box
Sub-Sample Proportion	4/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Annelida	Oligochaeta	Tubificida	Naididae	20	500.0
Arthropoda	Arachnida	Trombidiformes	Hygrobatidae	6	150.0
			Lebertiidae	3	75.0
	Insecta	Diptera	Chironomidae	123	3,075.0
			Ephemeroptera	Ameletidae	3
			Baetidae	2	50.0
			Ephemerellidae	89	2,225.0
			Heptageniidae	13	325.0
			Leptophlebiidae	2	50.0
		Plecoptera	Capniidae	1	25.0
			Nemouridae	1	25.0
			Perlodidae	1	25.0
		Trichoptera	Hydroptilidae	7	175.0
			Lepidostomatidae	67	1,675.0
			Limnephilidae	1	25.0

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Total	339	8,475.0

Metrics

Name	NHLAR02	Predicted Group Reference Mean \pm SD
Bray-Curtis Distance	0.94	0.4 \pm 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	3.8	3.2 \pm 0.3
Intolerant taxa	--	
Long-lived taxa	--	2.1 \pm 1.0
Tolerant individuals (%)	--	0.8 \pm 0.3
Functional Measures		
% Filterers	--	2.2 \pm 1.8
% Gatherers	72.3	38.4 \pm 12.4
% Predatores	39.2	19.0 \pm 8.5
% Scrapers	6.8	63.2 \pm 19.7
% Shredder	20.6	27.6 \pm 15.2
No. Clinger Taxa	10.0	23.2 \pm 6.3
Number Of Individuals		
% Chironomidae	36.3	7.4 \pm 6.4
% Coleoptera	0.0	1.5 \pm 3.9
% Diptera + Non-insects	44.8	10.8 \pm 7.6
% Ephemeroptera	32.2	51.7 \pm 18.8
% Ephemeroptera that are Baetidae	1.8	40.6 \pm 30.0
% EPT Individuals	55.2	87.7 \pm 7.4
% Odonata	0.0	0.0 \pm 0.0
% of 2 dominant taxa	62.5	57.9 \pm 14.2
% of 5 dominant taxa	92.0	81.6 \pm 7.9
% of dominant taxa	36.3	39.8 \pm 14.9
% Plecoptera	0.9	31.4 \pm 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.0 \pm 26.2
% Tricoptera	22.1	4.5 \pm 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.6	0.9 \pm 0.1
Total Abundance	8475.0	587.4 \pm 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 \pm 0.0
Coleoptera taxa	0.0	0.4 \pm 0.5
Diptera taxa	1.0	3.3 \pm 1.0
Ephemeroptera taxa	5.0	3.8 \pm 0.8
EPT Individuals (Sum)	4675.0	526.0 \pm 285.8
EPT taxa (no)	11.0	13.3 \pm 2.7
Odonata taxa	0.0	0.0 \pm 0.0
Pielou's Evenness	0.6	0.7 \pm 0.1
Plecoptera taxa	3.0	6.3 \pm 1.1
Shannon-Wiener Diversity	1.7	1.9 \pm 0.4
Simpson's Diversity	0.8	0.8 \pm 0.1
Simpson's Evenness	0.3	0.3 \pm 0.1
Total No. of Taxa	15.0	19.3 \pm 3.7
Trichoptera taxa	3.0	3.2 \pm 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NHLAR02
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	0.99
Capniidae	78%	55%	50%	92%	68%	0.77
Chironomidae	100%	100%	100%	100%	95%	0.98
Chloroperlidae	78%	88%	94%	100%	100%	0.98
Ephemerellidae	78%	100%	100%	100%	100%	0.99
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.86

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NHLAR02
	Group 1	Group 2	Group 3	Group 4	Group 5	
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlodidae	78%	78%	89%	92%	81%	0.88
Rhyacophilidae	100%	92%	100%	100%	95%	0.98
Taeniopterygidae	89%	49%	100%	92%	97%	0.94

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.71
RIVPACS : Observed taxa P>0.50	8.00
RIVPACS : O:E (p > 0.5)	0.58
RIVPACS : Expected taxa P>0.70	10.38
RIVPACS : Observed taxa P>0.70	7.00
RIVPACS : O:E (p > 0.7)	0.67

Habitat Description

Variable	NHLAR02	Predicted Group Reference Mean \pm SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 \pm 0.00000
Intrusive (%)	16.00618	11.07346 \pm 28.63466
Metamorphic (%)	0.00000	17.96649 \pm 35.53463
Sedimentary (%)	71.25814	70.96005 \pm 44.90394
Ultramafic (%)	0.00000	0.00000 \pm 0.00000
Volcanic (%)	12.73568	0.00000 \pm 0.00000
Channel		
Depth-Avg (cm)	31.5	23.6 \pm 11.1
Depth-BankfullMinusWetted (cm)	93.00	51.38 \pm 29.42
Depth-Max (cm)	36.0	34.6 \pm 12.3
Macrophyte (PercentRange)	0	0 \pm 0
Reach-%CanopyCoverage (PercentRange)	0.00	1.33 \pm 0.78
Reach-Pools (Binary)	1	1 \pm 0
Reach-Rapids (Binary)	0	0 \pm 0
Reach-Riffles (Binary)	1	1 \pm 0
Reach-StraightRun (Binary)	1	1 \pm 1
Slope (m/m)	0.0025000	0.0546683 \pm 0.0376269
Veg-Coniferous (Binary)	0	1 \pm 0
Veg-Deciduous (Binary)	1	1 \pm 0
Veg-GrassesFerns (Binary)	0	1 \pm 0
Veg-Shrubs (Binary)	1	1 \pm 0
Velocity-Avg (m/s)	0.43	0.48 \pm 0.22
Velocity-Max (m/s)	0.54	0.76 \pm 0.36
Width-Bankfull (m)	56.0	13.4 \pm 9.9
Width-Wetted (m)	28.0	8.5 \pm 5.8
XSEC-VelMethod (Category (1-3))	1	1 \pm 0
Climate		
Precip01_JAN (mm)	157.23077	104.85000 \pm 26.28129
Precip02_FEB (mm)	126.07692	83.66667 \pm 27.10278
Precip03_MAR (mm)	106.46154	77.23611 \pm 27.15950
Precip04_APR (mm)	157.23077	104.85000 \pm 26.28129
Precip05_MAY (mm)	74.80769	71.65833 \pm 17.81753
Precip06_JUN (mm)	91.15385	78.56667 \pm 15.58521
Precip07_JUL (mm)	82.15385	64.39167 \pm 10.41611
Precip08_AUG (mm)	80.26923	60.53056 \pm 10.43373
Precip09_SEP (mm)	75.53846	56.91944 \pm 10.91783
Precip10_OCT (mm)	102.03846	65.08056 \pm 14.41229
Precip11_NOV (mm)	156.84615	105.93889 \pm 25.04104
Precip12_DEC (mm)	169.34615	116.84444 \pm 29.80954
PrecipTotal_ANNUAL (mm)	1299.80769	952.64722 \pm 226.04690
Temp01_JANMax (Degrees Celsius)	-5.73077	-4.39167 \pm 2.51268
Temp01_JANmin (Degrees Celsius)	-12.15385	-11.40833 \pm 3.53951
Temp02_FEBmax (Degrees Celsius)	-2.53846	-1.70000 \pm 2.12945

Habitat Description

Variable	NHLAR02	Predicted Group Reference Mean \pm SD
Temp02_FEBmin (Degrees Celsius)	-10.00000	-9.17500 \pm 3.33361
Temp03_MARmax (Degrees Celsius)	0.96154	2.50556 \pm 2.87525
Temp03_MARmin (Degrees Celsius)	-7.07692	-6.14167 \pm 2.98556
Temp04_APRmax (Degrees Celsius)	5.30769	7.12222 \pm 3.48771
Temp04_APRmin (Degrees Celsius)	-3.30769	-2.71667 \pm 2.22785
Temp05_MAYmax (Degrees Celsius)	10.23077	12.03889 \pm 3.55434
Temp05_MAYmin (Degrees Celsius)	0.23077	1.04722 \pm 2.08663
Temp06_JUNMax (Degrees Celsius)	14.19231	15.72500 \pm 3.40030
Temp06_JUNMin (Degrees Celsius)	3.00000	4.00278 \pm 2.41085
Temp07_JULmax (Degrees Celsius)	17.84615	19.56111 \pm 3.47275
Temp07_JULmin (Degrees Celsius)	5.26923	6.35833 \pm 2.28332
Temp08_AUGmax (Degrees Celsius)	17.61538	19.52222 \pm 3.51100
Temp08_AUGmin (Degrees Celsius)	5.19231	6.19167 \pm 2.34422
Temp09_SEPmax (Degrees Celsius)	12.42308	14.04444 \pm 3.03456
Temp09_SEPmin (Degrees Celsius)	1.53846	2.04722 \pm 2.37208
Temp10_OCTmax (Degrees Celsius)	4.96154	6.88889 \pm 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.76923	-1.46111 \pm 1.64316
Temp11_NOVmax (Degrees Celsius)	-2.15385	-0.79722 \pm 2.43512
Temp11_NOVmin (Degrees Celsius)	-7.65385	-6.68056 \pm 2.97163
Temp12_DECmax (Degrees Celsius)	-6.11538	-4.66389 \pm 2.69757
Temp12_DECmin (Degrees Celsius)	-11.73077	-10.65833 \pm 3.71739
TempANNUALmax (Degrees Celsius)	5.26923	6.96389 \pm 3.06157
TempANNUALmean (Degrees Celsius)	0.96154	2.25278 \pm 2.66574
TempANNUALmin (Degrees Celsius)	-2.76923	-2.18056 \pm 2.41152
Hydrology		
Drainage-Area (km ²)	1621.09950	124.42081 \pm 200.99192
Perimeter (Km)	329.53991	64.71360 \pm 56.15436
StreamDensity (m/km ²)	2164.97351	2246.06682 \pm 604.89962
StreamLength (m)	3509637.49	302226.63 \pm 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 \pm 0.00000
Natl-Barren (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafOpen (%)	3.45925	1.19263 \pm 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-Coniferous (%)	0.00000	0.00000 \pm 0.00000
Natl-ConiferousDense (%)	0.32028	0.64845 \pm 0.37668
Natl-ConiferousOpen (%)	40.99392	54.62780 \pm 18.30692
Natl-ConiferousSparse (%)	1.72411	0.94121 \pm 1.53621
Natl-Deciduous (%)	0.00000	0.00000 \pm 0.00000
Natl-Developed (%)	0.00000	0.00000 \pm 0.00000
Natl-ExposedLand (%)	22.55603	13.20054 \pm 11.11850
Natl-Grassland (%)	0.83087	1.87556 \pm 1.68508
Natl-Herb (%)	9.94045	5.75738 \pm 2.89836
Natl-MixedForest (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodOpen (%)	0.10353	0.04060 \pm 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 \pm 0.00000
Natl-Rock/Rubble (%)	0.75711	1.56403 \pm 2.75979
Natl-Shrubland (%)	0.00000	0.00000 \pm 0.00000
Natl-ShrubLow (%)	0.73859	4.98298 \pm 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 \pm 0.00000
Natl-SnowIce (%)	1.46869	0.08491 \pm 0.15475
Natl-Water (%)	1.92795	0.22916 \pm 0.36834
Natl-Wetland (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandHerb (%)	0.10165	0.12918 \pm 0.35193
Natl-WetlandShrub (%)	0.02547	0.00000 \pm 0.00000
Natl-WetlandTreed (%)	0.00252	0.00000 \pm 0.00000
Reg-Ice (%)	1.01895	0.02487 \pm 0.06034
Substrate Data		
%Bedrock (%)	0	0 \pm 0

Habitat Description

Variable	NHLAR02	Predicted Group Reference Mean \pm SD
%Boulder (%)	0	9 \pm 9
%Cobble (%)	75	51 \pm 15
%Gravel (%)	1	3 \pm 3
%Pebble (%)	24	37 \pm 20
%Sand (%)	0	0 \pm 0
%Silt+Clay (%)	0	0 \pm 0
D50 (cm)	9.50	15.12 \pm 14.26
Dg (cm)	8.6	8.2 \pm 2.8
Dominant-1st (Category(0-9))	6	7 \pm 1
Dominant-2nd (Category(0-9))	7	7 \pm 1
Embeddedness (Category(1-5))	4	5 \pm 1
PeriphytonCoverage (Category(1-5))	3	1 \pm 0
SurroundingMaterial (Category(0-9))	7	4 \pm 1
Topography		
ElevationMax (m)	2915.00000	2634.66667 \pm 309.54023
ElevationMin (m)	555.00000	913.41667 \pm 271.25180
ElevationStdev (m)	472.05686	349.02363 \pm 92.12445
Reg-SlopeLT30% (%)	16.80232	18.88386 \pm 9.29866
Slope30-50% (%)	27.64324	29.00215 \pm 6.33837
Slope50-60% (%)	14.80053	13.91808 \pm 1.91315
SlopeAvg (%)	53.77616	52.79851 \pm 8.68755
SlopeGT60% (%)	38.06191	35.47207 \pm 13.39684
SlopeLT30% (%)	19.49433	21.60770 \pm 8.54172
SlopeMax (%)	417.85806	298.94390 \pm 146.30679
SlopeMin (%)	0.00000	0.19777 \pm 0.29213
SlopeStdev (%)	27.64104	26.57529 \pm 4.62351
Water Chemistry		
General-DO (mg/L)	13.0000000	11.4175000 \pm 0.7986708
General-pH (pH)	8.0	7.9 \pm 0.4
General-SpCond (μ S/cm)	140.6000000	168.9833333 \pm 123.7858182
General-TempAir (Degrees Celsius)	9.0	26.0
General-TempWater (Degrees Celsius)	9.2000000	7.3183333 \pm 2.7240839
General-Turbidity (NTU)	0.4500000	0.2020000