

Site Description

Study Name	CBWQ-Windermere
Site	NAWIN01
Sampling Date	Oct 01 2013
Know Your Watershed Basin	Upper Columbia
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Western Continental Ranges EcoRegion
Coordinates (decimal degrees)	50.47642 N, 115.84508 W
Altitude	4265
Local Basin Name	Windermere Creek
	Windermere Creek
Stream Order	4



Figure 1. Location Map

Across Reach (No image found)

Aerial (No image found)



Down Stream

Field Sheet (No image found)

Miscellaneous (No image found)

Substrate (No image found)



Up Stream

Cabin Assessment Results

Reference Model Summary					
Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	November 07, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	0.0%	0.2%	48.9%	22.3%	28.5%
CABIN Assessment of NAWIN01 on Oct 01, 2013	Mildly Divergent				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Pina Viola, Consultant
Date Taxonomy Completed	February 04, 2014
	Marchant Box
Sub-Sample Proportion	20/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Arthropoda	Arachnida	Sarcoptiformes		1	5.0
		Insecta	Diptera	Chironomidae	65
	Psychodidae			1	5.0
	Simuliidae		7	35.0	
	Tipulidae		1	5.0	
	Ephemeroptera		Ameletidae	11	55.0
			Baetidae	15	75.0
			Ephemerellidae	2	10.0
	Plecoptera		Heptageniidae	9	45.0
			Capniidae	14	70.0
			Nemouridae	149	745.0
		Perlodidae	4	20.0	
		Taeniopterygidae	31	155.0	
	Trichoptera	Limnephilidae	3	15.0	
		Rhyacophilidae	1	5.0	

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Total	314	1,570.0

NAWIN04 2013 and 2014 - question of Group Placement. will run separate Reports

Metrics

Name	NAWIN01	Predicted Group Reference Mean \pm SD
Bray-Curtis Distance	0.74	0.4 \pm 0.2
Biotic Indices		
Hilsenhoff Family index (North-West)	3.1	3.2 \pm 0.7
Intolerant taxa	--	
Long-lived taxa	--	1.9 \pm 1.3
Tolerant individuals (%)	--	0.3
Functional Measures		
% Filterers	2.2	1.8 \pm 1.6
% Gatherers	82.8	52.4 \pm 14.6
% Predatores	24.5	18.3 \pm 13.3
% Scrapers	20.7	61.8 \pm 17.2
% Shredder	63.1	30.3 \pm 18.6
No. Clinger Taxa	15.0	19.8 \pm 3.9
Number Of Individuals		
% Chironomidae	20.8	8.2 \pm 13.6
% Coleoptera	0.0	0.8 \pm 1.9
% Diptera + Non-insects	23.6	14.3 \pm 14.2
% Ephemeroptera	11.8	43.3 \pm 15.7
% Ephemeroptera that are Baetidae	40.5	33.9 \pm 27.7
% EPT Individuals	76.4	84.9 \pm 14.3
% Odonata	--	0.0 \pm 0.0
% of 2 dominant taxa	68.4	58.9 \pm 10.0
% of 5 dominant taxa	87.5	83.8 \pm 7.3
% of dominant taxa	47.6	39.5 \pm 10.9
% Plecoptera	63.3	34.7 \pm 17.8
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.8 \pm 25.2
% Tricoptera	1.3	6.9 \pm 8.6
No. EPT individuals/Chironomids+EPT Individuals	0.8	0.9 \pm 0.1
Total Abundance	1570.0	5780.5 \pm 4895.3
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 \pm 0.0
Coleoptera taxa	0.0	0.4 \pm 0.6
Diptera taxa	4.0	3.4 \pm 1.0
Ephemeroptera taxa	4.0	3.4 \pm 0.5
EPT Individuals (Sum)	1195.0	4527.1 \pm 3161.8
EPT taxa (no)	10.0	11.5 \pm 1.2
Odonata taxa	--	0.0 \pm 0.0
Pielou's Evenness	0.6	0.7 \pm 0.1
Plecoptera taxa	4.0	5.3 \pm 0.9
Shannon-Wiener Diversity	1.7	1.9 \pm 0.3
Simpson's Diversity	0.7	0.8 \pm 0.1
Simpson's Evenness	0.2	0.3 \pm 0.1
Total No. of Taxa	14.0	17.7 \pm 2.6
Trichoptera taxa	2.0	2.8 \pm 1.0

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NAWIN01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	0.99
Chironomidae	100%	100%	100%	100%	95%	0.98
Chloroperlidae	78%	88%	94%	100%	100%	0.97
Ephemereillidae	78%	100%	100%	100%	100%	1.00

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NAWIN01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.83
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlodidae	78%	78%	89%	92%	81%	0.87
Rhyacophilidae	100%	92%	100%	100%	95%	0.98
Taeniopterygidae	89%	49%	100%	92%	97%	0.97

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	12.43
RIVPACS : Observed taxa P>0.50	10.00
RIVPACS : O:E (p > 0.5)	0.80
RIVPACS : Expected taxa P>0.70	9.61
RIVPACS : Observed taxa P>0.70	8.00
RIVPACS : O:E (p > 0.7)	0.83

Habitat Description

Variable	NAWIN01	Predicted Group Reference Mean \pm SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 \pm 0.00000
Intrusive (%)	0.00000	4.80136 \pm 20.34839
Metamorphic (%)	0.00000	1.91481 \pm 8.12386
Sedimentary (%)	100.00000	92.18813 \pm 22.65908
Ultramafic (%)	0.00000	0.00000 \pm 0.00000
Volcanic (%)	0.00000	1.09569 \pm 2.57323
Channel		
Depth-Avg (cm)	6.2	22.5 \pm 10.5
Depth-BankfullMinusWetted (cm)	18.00	67.33 \pm 71.65
Depth-Max (cm)	9.5	32.9 \pm 17.9
Macrophyte (PercentRange)	0	0 \pm 0
Reach-%CanopyCoverage (PercentRange)	3.00	0.94 \pm 0.80
Reach-DomStreamsideVeg (Category (1-4))	3	3 \pm 1
Reach-Pools (Binary)	1	0 \pm 1
Reach-Rapids (Binary)	0	0 \pm 1
Reach-Riffles (Binary)	1	1 \pm 0
Reach-StraightRun (Binary)	0	1 \pm 0
Slope (m/m)	0.0360000	0.0235102 \pm 0.0284557
Veg-Coniferous (Binary)	1	1 \pm 0
Veg-Deciduous (Binary)	1	1 \pm 0
Veg-GrassesFerns (Binary)	0	1 \pm 0
Veg-Shrubs (Binary)	1	1 \pm 0
Velocity-Avg (m/s)	0.44	0.50 \pm 0.25
Velocity-Max (m/s)	0.67	0.75 \pm 0.28
Width-Bankfull (m)	2.2	15.6 \pm 12.8
Width-Wetted (m)	1.3	10.2 \pm 7.0
XSEC-VelMethod (Category (1-3))	1	2 \pm 1
Climate		
Precip01_JAN (mm)	78.00000	86.74590 \pm 34.16045
Precip02_FEB (mm)	63.00000	69.04735 \pm 26.39011
Precip03_MAR (mm)	61.00000	64.57566 \pm 18.91423
Precip04_APR (mm)	78.00000	86.74590 \pm 34.16045
Precip05_MAY (mm)	63.00000	67.06098 \pm 7.34190
Precip06_JUN (mm)	70.00000	73.16508 \pm 8.19897
Precip07_JUL (mm)	64.00000	59.23624 \pm 10.43324
Precip08_AUG (mm)	64.00000	57.24656 \pm 12.22117
Precip09_SEP (mm)	52.00000	50.72037 \pm 11.15833
Precip10_OCT (mm)	51.00000	52.92857 \pm 22.22704
Precip11_NOV (mm)	83.00000	87.53373 \pm 31.98739
Precip12_DEC (mm)	91.00000	93.52725 \pm 32.58764
PrecipTotal_ANNUAL (mm)	795.00000	818.18624 \pm 207.74339

Habitat Description

Variable	NAWIN01	Predicted Group Reference Mean \pm SD
Temp01_JANMax (Degrees Celsius)	-6.00000	-5.23929 \pm 1.38664
Temp01_JANmin (Degrees Celsius)	-16.00000	-13.71495 \pm 2.15775
Temp02_FEBmax (Degrees Celsius)	-3.00000	-2.11812 \pm 1.36153
Temp02_FEBmin (Degrees Celsius)	-13.00000	-11.26786 \pm 1.82315
Temp03_MARmax (Degrees Celsius)	0.00000	0.95304 \pm 1.72292
Temp03_MARmin (Degrees Celsius)	-9.00000	-7.99378 \pm 1.86235
Temp04_APRmax (Degrees Celsius)	5.00000	5.89775 \pm 2.29856
Temp04_APRmin (Degrees Celsius)	-5.00000	-3.52196 \pm 1.40541
Temp05_MAYmax (Degrees Celsius)	10.00000	10.80516 \pm 2.26497
Temp05_MAYmin (Degrees Celsius)	0.00000	0.15132 \pm 0.77159
Temp06_JUNMax (Degrees Celsius)	14.00000	14.89775 \pm 2.29856
Temp06_JUNMin (Degrees Celsius)	2.00000	2.98532 \pm 1.30119
Temp07_JULmax (Degrees Celsius)	17.00000	18.39881 \pm 2.25732
Temp07_JULmin (Degrees Celsius)	4.00000	5.51058 \pm 1.28471
Temp08_AUGmax (Degrees Celsius)	17.00000	18.26442 \pm 2.32790
Temp08_AUGmin (Degrees Celsius)	4.00000	5.11071 \pm 1.22615
Temp09_SEPmax (Degrees Celsius)	12.00000	13.01495 \pm 2.08648
Temp09_SEPmin (Degrees Celsius)	0.00000	1.09127 \pm 1.16620
Temp10_OCTmax (Degrees Celsius)	6.00000	6.62235 \pm 1.52687
Temp10_OCTmin (Degrees Celsius)	-3.00000	-1.89907 \pm 1.00747
Temp11_NOVmax (Degrees Celsius)	-3.00000	-1.28638 \pm 1.23662
Temp11_NOVmin (Degrees Celsius)	-10.00000	-8.37103 \pm 1.70714
Temp12_DECmax (Degrees Celsius)	-7.00000	-5.50172 \pm 1.56005
Temp12_DECmin (Degrees Celsius)	-15.00000	-12.82063 \pm 2.01422
TempANNUALmax (Degrees Celsius)	5.00000	5.95278 \pm 1.80268
TempANNUALmean (Degrees Celsius)	0.00000	0.92011 \pm 1.31158
TempANNUALmin (Degrees Celsius)	-5.00000	-3.49114 \pm 1.47732
Hydrology		
Drainage-Area (km ²)	1.92955	166.32560 \pm 185.60049
Perimeter (Km)	8.58990	75.52547 \pm 54.66392
StreamDensity (m/km ²)	1879.81859	2635.49639 \pm 656.67294
StreamLength (m)	3627.20	398904.91 \pm 414313.30
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 \pm 0.00000
Natl-Barren (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafDense (%)	0.00000	0.53318 \pm 1.35704
Natl-BroadleafOpen (%)	0.00000	0.81233 \pm 2.68694
Natl-BroadleafSparse (%)	0.00000	0.00053 \pm 0.00223
Natl-Coniferous (%)	0.00000	0.00000 \pm 0.00000
Natl-ConiferousDense (%)	1.87137	9.07482 \pm 13.04849
Natl-ConiferousOpen (%)	77.74379	46.52170 \pm 20.90683
Natl-ConiferousSparse (%)	0.00000	0.88302 \pm 1.79706
Natl-Deciduous (%)	0.00000	0.00000 \pm 0.00000
Natl-Developed (%)	0.00000	0.00000 \pm 0.00000
Natl-ExposedLand (%)	2.18266	14.05381 \pm 9.29865
Natl-Grassland (%)	0.16214	4.92979 \pm 5.99508
Natl-Herb (%)	6.70339	6.99262 \pm 5.00471
Natl-MixedForest (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00129 \pm 0.00548
Natl-MixedwoodOpen (%)	0.00000	0.90796 \pm 2.58154
Natl-MixedwoodSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 \pm 0.00000
Natl-Rock/Rubble (%)	0.00000	2.56296 \pm 3.90199
Natl-Shrubland (%)	0.00000	0.00000 \pm 0.00000
Natl-ShrubLow (%)	5.87352	1.89085 \pm 1.59075
Natl-ShrubTall (%)	0.00000	1.09076 \pm 2.22843
Natl-SnowIce (%)	0.00000	0.50588 \pm 1.17001
Natl-Water (%)	0.00000	0.22269 \pm 0.34683
Natl-Wetland (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandHerb (%)	0.00000	0.03577 \pm 0.04831
Natl-WetlandShrub (%)	0.00000	0.05535 \pm 0.09516
Natl-WetlandTreed (%)	0.00000	0.00268 \pm 0.01136

Habitat Description

Variable	NAWIN01	Predicted Group Reference Mean \pm SD
Reg-Ice (%)	0.00000	0.46949 \pm 1.15785
Substrate Data		
%Bedrock (%)	0	0 \pm 0
%Boulder (%)	0	6 \pm 7
%Cobble (%)	17	61 \pm 27
%Gravel (%)	19	1 \pm 2
%Pebble (%)	57	31 \pm 28
%Sand (%)	0	0 \pm 0
%Silt+Clay (%)	7	0 \pm 1
D50 (cm)	3.05	79.45 \pm 47.98
Dg (cm)	2.4	73.9 \pm 48.0
Dominant-1st (Category(0-9))	5	6 \pm 1
Dominant-2nd (Category(0-9))	4	6 \pm 2
Embeddedness (Category(1-5))	5	4 \pm 1
PeriphytonCoverage (Category(1-5))	2	2 \pm 1
SurroundingMaterial (Category(0-9))	2	3 \pm 1
Topography		
ElevationMax (m)	2451.00000	2690.61111 \pm 390.38324
ElevationMin (m)	1341.00000	1251.33333 \pm 280.98168
ElevationStdev (m)	268.98831	287.70131 \pm 73.20073
Reg-SlopeLT30% (%)	21.74500	27.92073 \pm 14.83033
Slope30-50% (%)	32.91724	27.15573 \pm 3.09032
Slope50-60% (%)	22.33010	12.76339 \pm 3.54018
SlopeAvg (%)	54.07872	48.68089 \pm 8.41381
SlopeGT60% (%)	33.98058	30.74349 \pm 11.05846
SlopeLT30% (%)	10.77208	29.33739 \pm 12.62448
SlopeMax (%)	140.26332	616.97887 \pm 680.88955
SlopeMin (%)	2.51720	0.03296 \pm 0.13984
SlopeStdev (%)	20.24787	28.19409 \pm 6.96382
Water Chemistry		
CO3 (mg/L)	0.2500000	0.0000000 \pm 0.0000000
General-Alkalinity (mg/L)	141.0000000	121.5944444 \pm 36.7225924
General-Conductivity (μ S/cm)	270.2000000	186.8500000 \pm 84.0864011
General-DO (mg/L)	12.0000000	10.4922222 \pm 0.8833463
General-pH (pH)	8.3	8.0 \pm 0.6
General-SpCond (μ S/cm)	507.8500000	214.2437500 \pm 77.1891440
General-TempAir (Degrees Celsius)	8.5	10.5 \pm 4.2
General-TempWater (Degrees Celsius)	0.5000000	6.6716667 \pm 2.0277755
General-Turbidity (NTU)	5.8000000	0.0000000 \pm 0.0000000
HCO3 (mg/L)	172.0000000	0.0000000 \pm 0.0000000
Nitrogen-NO2 (mg/L)	0.0025000	0.0023889 \pm 0.0063351
Nitrogen-NO2+NO3 (mg/L)	0.0590000	0.0130000 \pm 0.0088111
Nitrogen-NO3 (mg/L)	0.0590000	0.0245003 \pm 0.0229452
Phosphorus-OrthoP (mg/L)	2.5000000	0.0035000 \pm 0.0018292

Landslide Upstream of NAWIN03 in 2011 smothered site in fine sediment, no macro-invertebrates found