

**Site Description**

<b>Study Name</b>	CBWQ-Slocan
<b>Site</b>	NJSLO01
<b>Sampling Date</b>	Sep 29 2009
<b>Know Your Watershed Basin</b>	Slocan
<b>Province / Territory</b>	British Columbia
<b>Terrestrial Ecological Classification</b>	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
<b>Coordinates (decimal degrees)</b>	49.44972 N, 117.53472 W
<b>Altitude</b>	1512
<b>Local Basin Name</b>	Slocan
	Columbia
<b>Stream Order</b>	5



Figure 1. Location Map


Across Reach  
Aerial (No image found)



Down Stream  
Field Sheet (No image found)  
Miscellaneous (No image found)



Substrate



Up Stream

### Cabin Assessment Results

Reference Model Summary	
<b>Model</b>	Columbia-Okanagan Preliminary March 2010
<b>Analysis Date</b>	September 05, 2017
<b>Taxonomic Level</b>	Family

**Cabin Assessment Results**

<b>Predictive Model Variables</b>	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
<b>Reference Groups</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>
<b>Number of Reference Sites</b>	9	43	17	12	33
<b>Group Error Rate</b>	22.2%	24.5%	22.2%	25.0%	32.4%
<b>Overall Model Error Rate</b>	26.4%				
<b>Probability of Group Membership</b>	2.2%	8.0%	7.8%	78.0%	4.0%
<b>CABIN Assessment of NJSLO01 on Sep 29, 2009</b>	Divergent				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

**Sample Information**

<b>Sampling Device</b>	Kick Net
<b>Mesh Size</b>	400
<b>Sampling Time</b>	3
<b>Taxonomist</b>	Eco Analysts, EcoAnalysts
<b>Date Taxonomy Completed</b>	January 05, 2010
	Marchant Box
<b>Sub-Sample Proportion</b>	50/100

## Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Arthropoda	Arachnida			117	234.0
	Insecta	Coleoptera	Elmidae	68	136.0
		Diptera		5	10.0
			Chironomidae	34	68.0
			Empididae	1	2.0
			Simuliidae	9	18.0
		Ephemeroptera	Baetidae	7	14.0
			Ephemeridae	7	14.0
		Plecoptera	Chloroperlidae	2	4.0
			Perlodidae	2	4.0
			Pteronarcyidae	1	2.0
			Taeniopterygidae	2	4.0
		Trichoptera	Brachycentridae	1	2.0
			Hydropsychidae	36	72.0
			Lepidostomatidae	22	44.0
			Leptoceridae	1	2.0
			Rhyacophilidae	1	2.0
			Total	316	632.0

## Metrics

Name	NJSLO01	Predicted Group Reference Mean $\pm$ SD
Bray-Curtis Distance	0.86	0.4 $\pm$ 0.1
<b>Biotic Indices</b>		
Hilsenhoff Family index (North-West)	4.2	3.2 $\pm$ 0.3
Intolerant taxa	--	
Long-lived taxa	1.0	2.1 $\pm$ 1.0
Tolerant individuals (%)	--	0.8 $\pm$ 0.3
<b>Functional Measures</b>		
% Filterers	14.6	2.2 $\pm$ 1.8
% Gatherers	34.2	38.4 $\pm$ 12.4
% Predatores	29.1	19.0 $\pm$ 8.5
% Scrapers	28.2	63.2 $\pm$ 19.7
% Shredder	30.1	27.6 $\pm$ 15.2
No. Clinger Taxa	12.0	23.2 $\pm$ 6.3
<b>Number Of Individuals</b>		
% Chironomidae	17.5	7.4 $\pm$ 6.4
% Coleoptera	35.1	1.5 $\pm$ 3.9
% Diptera + Non-insects	22.7	10.8 $\pm$ 7.6
% Ephemeroptera	7.2	51.7 $\pm$ 18.8
% Ephemeroptera that are Baetidae	50.0	40.6 $\pm$ 30.0
% EPT Individuals	42.3	87.7 $\pm$ 7.4
% Odonata	0.0	0.0 $\pm$ 0.0
% of 2 dominant taxa	53.6	57.9 $\pm$ 14.2
% of 5 dominant taxa	87.1	81.6 $\pm$ 7.9
% of dominant taxa	35.1	39.8 $\pm$ 14.9
% Plecoptera	3.6	31.4 $\pm$ 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	59.0	27.0 $\pm$ 26.2
% Tricoptera	31.4	4.5 $\pm$ 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.7	0.9 $\pm$ 0.1
Total Abundance	632.0	587.4 $\pm$ 299.1
<b>Richness</b>		
Chironomidae taxa (genus level only)	1.0	1.0 $\pm$ 0.0
Coleoptera taxa	1.0	0.4 $\pm$ 0.5
Diptera taxa	3.0	3.3 $\pm$ 1.0
Ephemeroptera taxa	2.0	3.8 $\pm$ 0.8
EPT Individuals (Sum)	164.0	526.0 $\pm$ 285.8
EPT taxa (no)	11.0	13.3 $\pm$ 2.7
Odonata taxa	0.0	0.0 $\pm$ 0.0
Pielou's Evenness	0.7	0.7 $\pm$ 0.1
Plecoptera taxa	4.0	6.3 $\pm$ 1.1

**Metrics**

Name	NJSLO01	Predicted Group Reference Mean $\pm$ SD
Shannon-Wiener Diversity	1.9	1.9 $\pm$ 0.4
Simpson's Diversity	0.8	0.8 $\pm$ 0.1
Simpson's Evenness	0.3	0.3 $\pm$ 0.1
Total No. of Taxa	15.0	19.3 $\pm$ 3.7
Trichoptera taxa	5.0	3.2 $\pm$ 1.4

**Frequency and Probability of Taxa Occurrence**

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NJSLO01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.84
Chironomidae	100%	100%	100%	100%	95%	1.00
Chloroperlidae	78%	88%	94%	100%	100%	0.98
Ephemeroptera	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.89
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.88
Perlodidae	78%	78%	89%	92%	81%	0.90
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.89

**RIVPACS Ratios**

RIVPACS : Expected taxa P>0.50	13.79
RIVPACS : Observed taxa P>0.50	8.00
RIVPACS : O:E (p > 0.5)	0.58
RIVPACS : Expected taxa P>0.70	11.36
RIVPACS : Observed taxa P>0.70	7.00
RIVPACS : O:E (p > 0.7)	0.62

**Habitat Description**

Variable	NJSLO01	Predicted Group Reference Mean $\pm$ SD
<b>Bedrock Geology</b>		
Alluvium (%)	0.00000	0.00000 $\pm$ 0.00000
Intrusive (%)	56.80740	11.07346 $\pm$ 28.63466
Metamorphic (%)	24.93025	17.96649 $\pm$ 35.53463
Sedimentary (%)	17.39867	70.96005 $\pm$ 44.90394
Ultramafic (%)	0.00000	0.00000 $\pm$ 0.00000
Volcanic (%)	0.86368	0.00000 $\pm$ 0.00000
<b>Channel</b>		
Depth-Avg (cm)	42.0	23.6 $\pm$ 11.1
Depth-Max (cm)	46.0	34.6 $\pm$ 12.3
Discharge (m <sup>3</sup> /s)	27.000	0.000 $\pm$ 0.000
Macrophyte (PercentRange)	1	0 $\pm$ 0
Reach-%CanopyCoverage (PercentRange)	2.00	1.33 $\pm$ 0.78
Reach-%Logging (PercentRange)	4	0 $\pm$ 0
Reach-DomStreamsideVeg (Category (1-4))	2	4 $\pm$ 1
Reach-Pools (Binary)	0	1 $\pm$ 0
Reach-Rapids (Binary)	0	0 $\pm$ 0
Reach-Riffles (Binary)	1	1 $\pm$ 0
Reach-StraightRun (Binary)	1	1 $\pm$ 1
Veg-Coniferous (Binary)	1	1 $\pm$ 0
Veg-Deciduous (Binary)	1	1 $\pm$ 0
Veg-GrassesFerns (Binary)	1	1 $\pm$ 0
Veg-Shrubs (Binary)	1	1 $\pm$ 0
Velocity-Avg (m/s)	0.66	0.48 $\pm$ 0.22
Velocity-Max (m/s)	0.89	0.76 $\pm$ 0.36
Width-Bankfull (m)	30.0	13.4 $\pm$ 9.9

## Habitat Description

Variable	NJSLO01	Predicted Group Reference Mean $\pm$ SD
Width-Wetted (m)	25.0	8.5 $\pm$ 5.8
XSEC-VelMethod (Category (1-3))	1	1 $\pm$ 0
<b>Climate</b>		
Precip01_JAN (mm)	132.89474	104.85000 $\pm$ 26.28129
Precip02_FEB (mm)	108.33333	83.66667 $\pm$ 27.10278
Precip03_MAR (mm)	98.15789	77.23611 $\pm$ 27.15950
Precip04_APR (mm)	132.89474	104.85000 $\pm$ 26.28129
Precip05_MAY (mm)	82.47368	71.65833 $\pm$ 17.81753
Precip06_JUN (mm)	91.70175	78.56667 $\pm$ 15.58521
Precip07_JUL (mm)	73.33333	64.39167 $\pm$ 10.41611
Precip08_AUG (mm)	69.92982	60.53056 $\pm$ 10.43373
Precip09_SEP (mm)	67.14035	56.91944 $\pm$ 10.91783
Precip10_OCT (mm)	82.21053	65.08056 $\pm$ 14.41229
Precip11_NOV (mm)	130.33333	105.93889 $\pm$ 25.04104
Precip12_DEC (mm)	145.94737	116.84444 $\pm$ 29.80954
PrecipTotal_ANNUAL (mm)	1162.75439	952.64722 $\pm$ 226.04690
Temp01_JANMax (Degrees Celsius)	-4.40351	-4.39167 $\pm$ 2.51268
Temp01_JANmin (Degrees Celsius)	-10.36842	-11.40833 $\pm$ 3.53951
Temp02_FEBmax (Degrees Celsius)	-1.82456	-1.70000 $\pm$ 2.12945
Temp02_FEBmin (Degrees Celsius)	-8.54386	-9.17500 $\pm$ 3.33361
Temp03_MARmax (Degrees Celsius)	1.68421	2.50556 $\pm$ 2.87525
Temp03_MARmin (Degrees Celsius)	-5.98246	-6.14167 $\pm$ 2.98556
Temp04_APRmax (Degrees Celsius)	6.26316	7.12222 $\pm$ 3.48771
Temp04_APRmin (Degrees Celsius)	-2.64912	-2.71667 $\pm$ 2.22785
Temp05_MAYmax (Degrees Celsius)	11.14035	12.03889 $\pm$ 3.55434
Temp05_MAYmin (Degrees Celsius)	0.82456	1.04722 $\pm$ 2.08663
Temp06_JUNMax (Degrees Celsius)	14.75439	15.72500 $\pm$ 3.40030
Temp06_JUNMin (Degrees Celsius)	3.96491	4.00278 $\pm$ 2.41085
Temp07_JULmax (Degrees Celsius)	18.61404	19.56111 $\pm$ 3.47275
Temp07_JULmin (Degrees Celsius)	6.43860	6.35833 $\pm$ 2.28332
Temp08_AUGmax (Degrees Celsius)	18.57895	19.52222 $\pm$ 3.51100
Temp08_AUGmin (Degrees Celsius)	6.29825	6.19167 $\pm$ 2.34422
Temp09_SEPmax (Degrees Celsius)	13.38596	14.04444 $\pm$ 3.03456
Temp09_SEPmin (Degrees Celsius)	2.29825	2.04722 $\pm$ 2.37208
Temp10_OCTmax (Degrees Celsius)	6.03509	6.88889 $\pm$ 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.26316	-1.46111 $\pm$ 1.64316
Temp11_NOVmax (Degrees Celsius)	-1.17544	-0.79722 $\pm$ 2.43512
Temp11_NOVmin (Degrees Celsius)	-6.33333	-6.68056 $\pm$ 2.97163
Temp12_DECmax (Degrees Celsius)	-4.59649	-4.66389 $\pm$ 2.69757
Temp12_DECmin (Degrees Celsius)	-10.03509	-10.65833 $\pm$ 3.71739
TempANNUALmax (Degrees Celsius)	6.24561	6.96389 $\pm$ 3.06157
TempANNUALmean (Degrees Celsius)	1.77193	2.25278 $\pm$ 2.66574
TempANNUALmin (Degrees Celsius)	-1.82456	-2.18056 $\pm$ 2.41152
<b>Hydrology</b>		
Drainage-Area (km <sup>2</sup> )	3425.62950	124.42081 $\pm$ 200.99192
Perimeter (Km)	549.09302	64.71360 $\pm$ 56.15436
StreamDensity (m/km <sup>2</sup> )	2190.93040	2246.06682 $\pm$ 604.89962
StreamLength (m)	7505315.81	302226.63 $\pm$ 500983.26
<b>Landcover</b>		
Natl-AnnCrops (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Barren (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafOpen (%)	2.85345	1.19263 $\pm$ 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Coniferous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ConiferousDense (%)	0.48215	0.64845 $\pm$ 0.37668
Natl-ConiferousOpen (%)	52.58342	54.62780 $\pm$ 18.30692
Natl-ConiferousSparse (%)	1.36876	0.94121 $\pm$ 1.53621
Natl-Deciduous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Developed (%)	0.06762	0.00000 $\pm$ 0.00000
Natl-ExposedLand (%)	17.02159	13.20054 $\pm$ 11.11850
Natl-Grassland (%)	1.03581	1.87556 $\pm$ 1.68508

## Habitat Description

Variable	NJSLO01	Predicted Group Reference Mean $\pm$ SD
Natl-Herb (%)	6.93168	5.75738 $\pm$ 2.89836
Natl-MixedForest (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodOpen (%)	0.09444	0.04060 $\pm$ 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Rock/Rubble (%)	0.59550	1.56403 $\pm$ 2.75979
Natl-Shrubland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ShrubLow (%)	1.76236	4.98298 $\pm$ 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-SnowIce (%)	0.16345	0.08491 $\pm$ 0.15475
Natl-Water (%)	2.70893	0.22916 $\pm$ 0.36834
Natl-Wetland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandHerb (%)	0.08869	0.12918 $\pm$ 0.35193
Natl-WetlandShrub (%)	0.01338	0.00000 $\pm$ 0.00000
Natl-WetlandTreed (%)	0.00345	0.00000 $\pm$ 0.00000
Reg-Forest (%)	30.00000	0.00000 $\pm$ 0.00000
Reg-Ice (%)	0.06587	0.02487 $\pm$ 0.06034
Reg-NonprodForest (%)	30.00000	0.00000 $\pm$ 0.00000
Reg-UnregenForest (%)	40.00000	0.00000 $\pm$ 0.00000
<b>Substrate Data</b>		
%Bedrock (%)	0	0 $\pm$ 0
%Boulder (%)	3	9 $\pm$ 9
%Cobble (%)	87	51 $\pm$ 15
%Gravel (%)	1	3 $\pm$ 3
%Pebble (%)	9	37 $\pm$ 20
%Sand (%)	0	0 $\pm$ 0
%Silt+Clay (%)	0	0 $\pm$ 0
D50 (cm)	10.50	15.12 $\pm$ 14.26
Dg (cm)	10.3	8.2 $\pm$ 2.8
Dominant-1st (Category(0-9))	6	7 $\pm$ 1
Dominant-2nd (Category(0-9))	7	7 $\pm$ 1
Embeddedness (Category(1-5))	4	5 $\pm$ 1
PeriphytonCoverage (Category(1-5))	2	1 $\pm$ 0
SurroundingMaterial (Category(0-9))	3	4 $\pm$ 1
<b>Topography</b>		
ElevationMax (m)	3015.00000	2634.66667 $\pm$ 309.54023
ElevationMin (m)	457.00000	913.41667 $\pm$ 271.25180
ElevationStdev (m)	501.21029	349.02363 $\pm$ 92.12445
Reg-SlopeLT30% (%)	22.30934	18.88386 $\pm$ 9.29866
Slope30-50% (%)	28.01461	29.00215 $\pm$ 6.33837
Slope50-60% (%)	13.73378	13.91808 $\pm$ 1.91315
SlopeAvg (%)	49.22843	52.79851 $\pm$ 8.68755
SlopeGT60% (%)	32.28474	35.47207 $\pm$ 13.39684
SlopeLT30% (%)	25.96687	21.60770 $\pm$ 8.54172
SlopeMax (%)	574.77527	298.94390 $\pm$ 146.30679
SlopeMin (%)	0.00000	0.19777 $\pm$ 0.29213
SlopeStdev (%)	27.85578	26.57529 $\pm$ 4.62351
<b>Water Chemistry</b>		
General-DO (mg/L)	11.0000000	11.4175000 $\pm$ 0.7986708
General-pH (pH)	7.5	7.9 $\pm$ 0.4
General-SpCond ( $\mu$ S/cm)	188.6000000	168.9833333 $\pm$ 123.7858182
General-TempAir (Degrees Celsius)	26.0	26.0
General-TempWater (Degrees Celsius)	15.0000000	7.3183333 $\pm$ 2.7240839
General-Turbidity (NTU)	0.2000000	0.2020000